CORRECTION Open Access

Correction to: Spatial weight matrix in dimensionality reduction reconstruction for micro-electromechanical system-based photoacoustic microscopy



Yuanzheng Ma^{1,2}, Chang Lu^{1,2}, Kedi Xiong^{1,2}, Wuyu Zhang^{1,2} and Sihua Yang^{1,2*}

Correction to: Vis Comput Ind Biomed Art 3, 22 (2020) https://doi.org/10.1186/s42492-020-00058-6

Following publication of the original article [1], the keywords are missing in the article.

Keywords: Photoacoustic microscopy, Spatial weight matrix, Dimensionality reduction, Distortion correction, Mutual information

The original article has been updated.

Published online: 21 December 2020

Reference

 Ma et al (2020) Spatial weight matrix in dimensionality reduction reconstruction for micro-electromechanical system-based photoacoustic microscopy. Vis Comput Ind Biomed Art 3:22

The original article can be found online at https://doi.org/10.1186/s42492-020-00058-6.

²Guangdong Provincial Key Laboratory of Laser Life Science, College of Biophotonics, South China Normal University, Guangzhou 510631, China



^{*} Correspondence: yangsh@scnu.edu.cn

¹MOE Key Laboratory of Laser Life Science & Institute of Laser Life Science, College of Biophotonics, South China Normal University, Guangzhou 510631, China